ELSEVIER

Neuroscience Letters 357 (2004) 238–241

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 357

Abe, T., Takagi, N., Nakano, M., Takeo, S., The effects of monobromobimane on neuronal cell death in the hippocampus after transient global cerebral ischemia in rats, 227
Ahn, D.K., Jung, C.Y., Lee, H.J., Choi, H.S., Ju, J.S., Bae, Y.C., Peripheral glutamate receptors participate in interleukin-1β-induced mechanical allodynia in the orofacial area of rats, 203
Ahn, S.-Y., see Lee, B.-C., 33
Álvarez-López, C., Cernuda-Cernuda, R., Paniagua, M.A., Álvarez-Viejo, M., Fernández-López, A., García-Fernández, J.M., The transcription factor CREB is phosphorylated in neurons of the piriform cortex of blind mice in response to illumination of the retina, 223
Álvarez-Viejo, M., see Álvarez-López, C., 223
Ando, S., see Tanaka, Y., 9
Angelatou, F., see Patsoukis, N., 83
Antal, K., see Barabás, P., 195
Avedissian, M., see Carnevalli, L.S., 191
Avila, J., see Hernández, F., 143

Bae, Y.C., see Ahn, D.K., 203
Barabás, P., Antal, K., Kardos, J., Light-adaptation attenuates the effects of phosphodiesterase blockade by Zaprinast in the isolated rat retina, 195
Barcikowska, M., see Żekanowski, C., 167
Barczak, A., see Żekanowski, C., 167
Bartling, J., see Schulte-Körne, G., 207
Bémeur, C., Ste-Marie, L., Desjardins, P., Hazell, A.S., Vachon, L., Butterworth, R., Montgomery, J., Decreased β-actin mRNA expression in hyperglycemic focal cerebral ischemia in the rat, 211
Benedek, G., see Must, A., 131
Beneduce, R., see Michelato, A., 235
Bernardi, L., see Emanuele, E., 45
Bignotti, S., see Michelato, A., 235
Binetti, G., see Emanuele, E., 45
Blessing, W.W., see Ootsuka, Y., 58
Blouin, J., Bresciani, J.-P., Gauthier, G.M., Shifts in the retinal image of a visual scene during saccades contribute to the perception of reached gaze direction in humans, 29
Bogerts, B., see Mawrin, C., 111
Bongiovanni, R., see Jaskiw, G.E., 5
Bonnefont-Rousselot, D., see Hellal, F., 21
Bonvicini, C., see Michelato, A., 235
Bouisset, S., see Hamaoui, A., 135
Bresciani, J.-P., see Blouin, J., 29
Bruce-Keller, A.J., see Martin, S., 76
Bruni, A.C., see Emanuele, E., 45
Burggraf, D., see Liebetrau, M., 17
Butterworth, R., see Bémeur, C., 211

Caballero-Bleda, M., see Popović, M., 79
Carnevalli, L.S., Pereira, C.M., Longo, B.M., Jaqueta, C.B., Avedissian, M., Mello, L.E.A.M., Castilho, B.A., Phosphorylation of translation initiation factor eIF2α in the brain during pilocarpine-induced *status epilepticus* in mice, 191
Castilho, B.A., see Carnevalli, L.S., 191
Cavallo, V., see Geloso, M.C., 103
Cernuda-Cernuda, R., see Álvarez-López, C., 223
Chen, T., Hui, R., Dong, Y.-X., Li, Y.-Q., Mizuno, N., Endomorphin 1- and endomorphin 2-like immunoreactive neurons in the hypothalamus send axons to the parabrachial nucleus in the rat, 139
Child, T., see Hughes, S., 232
Chodakowska-Żebrowska, M., see Żekanowski, C., 167
Choi, H.S., see Ahn, D.K., 203
Choi, J.-S., Park, H.-J., Jo, Y.C., Chun, M.-H., Chung, J.-W., Kim, J.M., Min, D.S., Lee, M.-Y., Immunohistochemical localization of phospholipase D2 in embryonic rat brain, 147
Choi, J.-Y., see Park, H.-J., 63
Chun, M.-H., see Choi, J.-S., 147
Chung, J.-H., see Lee, B.-C., 33
Chung, J.-W., see Choi, J.-S., 147
Clement, R.A., see Harrison, P.K., 183
Conrath, M., see Doly, S., 123
Contents for Nsl 357_1
Corvino, V., see Geloso, M.C., 103
Croci, N., see Hellal, F., 21
Crook, R., see Fidani, L., 152
Cuadros, R., see Hernández, F., 143
Cullen, D.A., Leigh, P.N., Gallo, J.-M., Degradation properties of polyglutamine-expanded human androgen receptor in transfected cells, 175
Czyżewski, K., see Żekanowski, C., 167

D'Angelo, A., see Emanuele, E., 45
de Gelder, B., see Stekelenburg, J.J., 163
de Kerchove d'Exaerde, A., see Maurer, P., 215
de Launoit, Y., see Maurer, P., 215
Deimel, W., see Schulte-Körne, G., 207
Desjardins, P., see Bémeur, C., 211
Diaz-Ruiz, A., Vergara, P., Perez-Severiano, F., Segovia, J., Guizar-Sahagún, G., Ibarra, A., Ríos, C., Cyclosporin-A inhibits inducible nitric oxide synthase activity and expression after spinal cord injury in rats, 49
Dietzmann, K., see Mawrin, C., 111
Do, M.C., see Hamaoui, A., 135
Doly, S., Fischer, J., Salio, C., Conrath, M., The vanilloid receptor-1 is expressed in rat spinal dorsal horn astrocytes, 123
Dong, Y., Rosenberg, H.C., Brief seizure activity alters Ca^{2+}/calmodulin dependent protein kinase II dephosphorylation and subcellular distribution in rat brain for several hours, 95
Dong, Y.-X., see Chen, T., 139
Doo, H.-K., see Lee, B.-C., 33
Dozmorov, M., see Li, R., 87

Emanuele, E., Peros, E., Tomaino, C., Feudatari, E., Bernardi, L., Binetti,

doi:10.1016/S0304-3940(04)00180-6

ELSEVIER

Neuroscience Letters 357 (2004) 238–241

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 357

Abe, T., Takagi, N., Nakano, M., Takeo, S., The effects of monobromobimane on neuronal cell death in the hippocampus after transient global cerebral ischemia in rats, 227
Ahn, D.K., Jung, C.Y., Lee, H.J., Choi, H.S., Ju, J.S., Bae, Y.C., Peripheral glutamate receptors participate in interleukin-1β-induced mechanical allodynia in the orofacial area of rats, 203
Ahn, S.-Y., see Lee, B.-C., 33
Álvarez-López, C., Cernuda-Cernuda, R., Paniagua, M.A., Álvarez-Viejo, M., Fernández-López, A., García-Fernández, J.M., The transcription factor CREB is phosphorylated in neurons of the piriform cortex of blind mice in response to illumination of the retina, 223
Álvarez-Viejo, M., see Álvarez-López, C., 223
Ando, S., see Tanaka, Y., 9
Angelatou, F., see Patsoukis, N., 83
Antal, K., see Barabás, P., 195
Avedissian, M., see Carnevalli, L.S., 191
Avila, J., see Hernández, F., 143

Bae, Y.C., see Ahn, D.K., 203
Barabás, P., Antal, K., Kardos, J., Light-adaptation attenuates the effects of phosphodiesterase blockade by Zaprinast in the isolated rat retina, 195
Barcikowska, M., see Żekanowski, C., 167
Barczak, A., see Żekanowski, C., 167
Bartling, J., see Schulte-Körne, G., 207
Bémeur, C., Ste-Marie, L., Desjardins, P., Hazell, A.S., Vachon, L., Butterworth, R., Montgomery, J., Decreased β-actin mRNA expression in hyperglycemic focal cerebral ischemia in the rat, 211
Benedek, G., see Must, A., 131
Beneduce, R., see Michelato, A., 235
Bernardi, L., see Emanuele, E., 45
Bignotti, S., see Michelato, A., 235
Binetti, G., see Emanuele, E., 45
Blessing, W.W., see Ootsuka, Y., 58
Blouin, J., Bresciani, J.-P., Gauthier, G.M., Shifts in the retinal image of a visual scene during saccades contribute to the perception of reached gaze direction in humans, 29
Bogerts, B., see Mawrin, C., 111
Bongiovanni, R., see Jaskiw, G.E., 5
Bonnefont-Rousselot, D., see Hellal, F., 21
Bonvicini, C., see Michelato, A., 235
Bouisset, S., see Hamaoui, A., 135
Bresciani, J.-P., see Blouin, J., 29
Bruce-Keller, A.J., see Martin, S., 76
Bruni, A.C., see Emanuele, E., 45
Burggraf, D., see Liebetrau, M., 17
Butterworth, R., see Bémeur, C., 211

Caballero-Bleda, M., see Popović, M., 79
Carnevalli, L.S., Pereira, C.M., Longo, B.M., Jaqueta, C.B., Avedissian, M., Mello, L.E.A.M., Castilho, B.A., Phosphorylation of translation initiation factor eIF2α in the brain during pilocarpine-induced *status epilepticus* in mice, 191
Castilho, B.A., see Carnevalli, L.S., 191
Cavallo, V., see Geloso, M.C., 103
Cernuda-Cernuda, R., see Álvarez-López, C., 223
Chen, T., Hui, R., Dong, Y.-X., Li, Y.-Q., Mizuno, N., Endomorphin 1- and endomorphin 2-like immunoreactive neurons in the hypothalamus send axons to the parabrachial nucleus in the rat, 139
Child, T., see Hughes, S., 232
Chodakowska-Żebrowska, M., see Żekanowski, C., 167
Choi, H.S., see Ahn, D.K., 203
Choi, J.-S., Park, H.-J., Jo, Y.C., Chun, M.-H., Chung, J.-W., Kim, J.M., Min, D.S., Lee, M.-Y., Immunohistochemical localization of phospholipase D2 in embryonic rat brain, 147
Choi, J.-Y., see Park, H.-J., 63
Chun, M.-H., see Choi, J.-S., 147
Chung, J.-H., see Lee, B.-C., 33
Chung, J.-W., see Choi, J.-S., 147
Clement, R.A., see Harrison, P.K., 183
Conrath, M., see Doly, S., 123
Contents for Nsl 357_1
Corvino, V., see Geloso, M.C., 103
Croci, N., see Hellal, F., 21
Crook, R., see Fidani, L., 152
Cuadros, R., see Hernández, F., 143
Cullen, D.A., Leigh, P.N., Gallo, J.-M., Degradation properties of polyglutamine-expanded human androgen receptor in transfected cells, 175
Czyżewski, K., see Żekanowski, C., 167

D'Angelo, A., see Emanuele, E., 45
de Gelder, B., see Stekelenburg, J.J., 163
de Kerchove d'Exaerde, A., see Maurer, P., 215
de Launoit, Y., see Maurer, P., 215
Deimel, W., see Schulte-Körne, G., 207
Desjardins, P., see Bémeur, C., 211
Diaz-Ruiz, A., Vergara, P., Perez-Severiano, F., Segovia, J., Guizar-Sahagún, G., Ibarra, A., Ríos, C., Cyclosporin-A inhibits inducible nitric oxide synthase activity and expression after spinal cord injury in rats, 49
Dietzmann, K., see Mawrin, C., 111
Do, M.C., see Hamaoui, A., 135
Doly, S., Fischer, J., Salio, C., Conrath, M., The vanilloid receptor-1 is expressed in rat spinal dorsal horn astrocytes, 123
Dong, Y., Rosenberg, H.C., Brief seizure activity alters Ca^{2+}/calmodulin dependent protein kinase II dephosphorylation and subcellular distribution in rat brain for several hours, 95
Dong, Y.-X., see Chen, T., 139
Doo, H.-K., see Lee, B.-C., 33
Dozmorov, M., see Li, R., 87

Emanuele, E., Peros, E., Tomaino, C., Feudatari, E., Bernardi, L., Binetti,

doi:10.1016/S0304-3940(04)00180-6

G., Maletta, R., D'Angelo, A., Montagna, L., Bruni, A.C., Geroldi, D., Apolipoprotein(a) null phenotype is related to a delayed age at onset of Alzheimer's disease, 45

Fernández-López, A., see Álvarez-López, C., 223
Feudatari, E., see Emanuele, E., 45
Fidani, L., Goulas, A., Crook, R., Petersen, R.C., Tangalos, E., Kotsis, A., Hardy, J., An association study of the cholesteryl ester transfer protein TaqI B polymorphism with late onset Alzheimer's disease, 152
Fischer, J., see Doly, S., 123
Fosker, T., Thierry, G., P300 investigation of phoneme change detection in dyslexic adults, 171
Fukui, F., see Tanaka, Y., 9

Gabryelewicz, T., see Żekanowski, C., 167
Gallo, J.-M., see Cullen, D.A., 175
García-Fernández, J.M., see Álvarez-López, C., 223
Gauthier, G.M., see Blouin, J., 29
Gee, J.R., see Martin, S., 76
Geloso, M.C., Corvino, V., Cavallo, V., Toesca, A., Guadagni, E., Passalacqua, R., Michetti, F., Expression of astrocytic nestin in the rat hippocampus during trimethyltin-induced neurodegeneration, 103
Gemba, H., Matsuura-Nakao, K., Matsuzaki, R., Preparative activities in posterior parietal cortex for self-paced movement in monkeys, 68
Gennarelli, M., see Michelato, A., 235
Georgiou, C.D., see Patsoukis, N., 83
Gereau IV, R.W., see Yang, D., 159
Geroldi, D., see Emanuele, E., 45
Goulas, A., see Fidani, L., 152
Guadagni, E., see Geloso, M.C., 103
Guerri, C., see Popović, M., 79
Guizar-Sahagún, G., see Diaz-Ruiz, A., 49
Guo, S.-Y., see Jiang, X.-H., 1
Guski, R., see Lewald, J., 119

Hagishita, T., see Tanaka, Y., 9
Hamann, G.F., see Liebetrau, M., 17
Hamaoui, A., Do, M.C., Bouisset, S., Postural sway increase in low back pain subjects is not related to reduced spine range of motion, 135
Han, H., see Tanaka, Y., 9
Hardy, J., see Fidani, L., 152
Harrison, P.K., Tattersall, J.E.H., Clement, R.A., Periodic orbit analysis reveals subtle effects of atropine on epileptiform activity in the guinea-pig hippocampal slice, 183
Hayashi, Y., see Tanaka, J., 41
Hazell, A.S., see Bémeur, C., 211
Hellal, F., Bonnefont-Rousselot, D., Croci, N., Palmier, B., Plotkine, M., Marchand-Verrecchia, C., Pattern of cerebral edema and hemorrhage in a mice model of diffuse brain injury, 21
Hellberg, F., see Li, R., 87
Heng, K.Y.C., see Sherrin, T., 107
Hernández, F., Cuadros, R., Avila, J., Zeta 14-3-3 protein favours the formation of human tau fibrillar polymers, 143
Hisamitsu, T., see Jiang, X.-H., 1
Hitomi, J., Katayama, T., Taniguchi, M., Honda, A., Imaizumi, K., Tohyama, M., Apoptosis induced by endoplasmic reticulum stress depends on activation of caspase-3 via caspase-12, 127
Honda, A., see Hitomi, J., 127
Hondzinski, J.M., Comparing human reaches across three viewing conditions in a step and reach task, 25
Hong, S.-J., see Lee, B.-C., 33
Hori, Y., see Yamaguchi, S., 155
Horibe, Y., see Jiang, X.-H., 1
Hughes, S., Child, T., Simpson, M.G., Smith, M.E., Upregulation of the pro-opiomelanocortin gene in motoneurones after acrylamide administration in mice, 232
Hui, R., see Chen, T., 139

Ibarra, A., see Diaz-Ruiz, A., 49
Imaizumi, K., see Hitomi, J., 127
Inagaki, C., see Yang, L., 73
Inoue, H., see Yokota, C., 219

Janka, Z., see Must, A., 131
Jaqueta, C.B., see Carnevalli, L.S., 191
Jaskiw, G.E., Simpson, C., Bongiovanni, R., Yamamoto, B.K., Tyrosine augments clozapine-induced dopamine release in the medial prefrontal cortex of the rat in vivo: effects of access to food, 5
Jiang, X.-H., Guo, S.-Y., Xu, S., Yin, Q.-Z., Ohshita, Y., Naitoh, M., Horibe, Y., Hisamitsu, T., Sympathetic nervous system mediates cold stress-induced suppression of natural killer cytotoxicity in rats, 1
Jilderos, B., see Li, R., 87
Jin, S.-Y., see Lee, B.-C., 33
Jo, Y.C., see Choi, J.-S., 147
Ju, J.S., see Ahn, D.K., 203
Jung, C.Y., see Ahn, D.K., 203

Kaji, T., see Yokota, C., 219
Kakigi, R., see Miki, K., 199
Kamondi, A., see Tamás, G., 187
Kang, S., see Park, H.-J., 63
Kaplan, G.B., see Turalba, A.V., 53
Kardos, J., see Barabás, P., 195
Katayama, T., see Hitomi, J., 127
Keller, J.N., see Martin, S., 76
Kemmotsu, O., see Tachibana, K., 91
Kéri, S., see Must, A., 131
Kijanowska-Haładyna, B., see Żekanowski, C., 167
Kim, J.M., see Choi, J.-S., 147
Kim, S.-D., see Lee, B.-C., 33
Kirches, E., see Mawrin, C., 111
Kitajima, T., see Yamaguchi, S., 155
Kojima, T., see Tachibana, K., 91
Kotapka-Minc, S., see Żekanowski, C., 167
Kotsis, A., see Fidani, L., 152
Krause, G., see Mawrin, C., 111
Kuźnicki, J., see Żekanowski, C., 167
Kuge, Y., see Yokota, C., 219

Lande, B., see Yamaguchi, S., 155
Lau, G., see Sherrin, T., 107
Lee, B.-C., Ahn, S.-Y., Doo, H.-K., Yim, S.-V., Lee, H.-J., Jin, S.-Y., Hong, S.-J., Lee, S.-H., Kim, S.-D., Seo, J.-C., Leem, K.-H., Chung, J.-H., Susceptibility for ischemic stroke in Korean population is associated with polymorphisms of the interleukin-1 receptor antagonist and tumor necrosis factor-α genes, but not the interleukin-1β gene, 33
Lee, H.J., see Ahn, D.K., 203
Lee, H.-J., see Lee, B.-C., 33
Lee, M.-Y., see Choi, J.-S., 147
Lee, S.-H., see Lee, B.-C., 33

Leem, K.-H., see Lee, B.-C., 33
Leigh, P.N., see Cullen, D.A., 175
Leite-Morris, K.A., see Turalba, A.V., 53
Lewald, J., Guski, R., Auditory-visual temporal integration as a function of distance: no compensation for sound-transmission time in human perception, 119
Li, R., Dozmorov, M., Hellberg, F., Tian, Y., Jilderos, B., Wigström, H., Characterization of NMDA induced depression in rat hippocampus: involvement of AMPA and NMDA receptors, 87
Li, Y.-Q., see Chen, T., 139
Liebetrau, M., Burggraf, D., Martens, H.K., Pichler, M., Hamann, G.F., Delayed moderate hypothermia reduces calpain activity and breakdown of its substrate in experimental focal cerebral ischemia in rats, 17
Liu, G., see Tanaka, Y., 9
Longo, B.M., see Carnevalli, L.S., 191
Łuczywek, E., see Żekanowski, C., 167

Maletta, R., see Emanuele, E., 45
Marchand-Verrecchia, C., see Hellal, F., 21
Martens, H.K., see Liebetrau, M., 17
Martin, S., Gee, J.R., Bruce-Keller, A.J., Keller, J.N., Loss of an individual proteasome subunit alters motor function but not cognitive function or ambulation in mice, 76
Matsokis, N.A., see Patsoukis, N., 83
Matsumoto, M., see Tachibana, K., 91
Matsuura-Nakao, K., see Gemba, H., 68
Matsuzaki, R., see Gemba, H., 68
Maurer, P., Rorive, S., de Kerchove d'Exaerde, A., Schiffmann, S.N., Salmon, I., de Launoit, Y., The Ets transcription factor Fev is specifically expressed in the human central serotonergic neurons, 215
Mawrin, C., Kirches, E., Krause, G., Schneider-Stock, R., Bogerts, B., Vorwerk, C.K., Dietzmann, K., Region-specific analysis of mitochondrial DNA deletions in neurodegenerative disorders in humans, 111
McAllen, R.M., see Ootsuka, Y., 58
Mello, L.E.A.M., see Carnevalli, L.S., 191
Michelato, A., Bonvicini, C., Ventriglia, M., Scassellati, C., Randazzo, R., Bignotti, S., Beneduce, R., Riva, M.A., Gennarelli, M., $3'$ UTR $(AGG)_n$ repeat of glial cell line-derived neurotrophic factor (GDNF) gene polymorphism in schizophrenia, 235
Michetti, F., see Geloso, M.C., 103
Miki, K., Watanabe, S., Kakigi, R., Interaction between auditory and visual stimulus relating to the vowel sounds in the auditory cortex in humans: a magnetoencephalographic study, 199
Min, D.S., see Choi, J.-S., 147
Minematsu, K., see Yokota, C., 219
Miyakubo, H., see Tanaka, J., 41
Mizuno, N., see Chen, T., 139
Montagna, L., see Emanuele, E., 45
Montgomery, J., see Bémeur, C., 211
Morimoto, Y., see Tachibana, K., 91
Must, A., Janka, Z., Benedek, G., Kéri, S., Reduced facilitation effect of collinear flankers on contrastdetection reveals impaired lateral connectivity in the visual cortex of schizophrenia patients, 131

Naitoh, M., see Jiang, X.-H., 1
Nakano, M., see Abe, T., 227
Navarro, X., see Udina, E., 99
Nibuya, M., see Sawamura, T., 37
Nomura, M., see Tanaka, J., 41
Nomura, S., see Sawamura, T., 37

Ohshita, Y., see Jiang, X.-H., 1
Omori, K., see Yang, L., 73
Ootsuka, Y., Blessing, W.W., McAllen, R.M., Inhibition of rostral medullary raphé neurons prevents cold-induced activity in sympathetic nerves to rat tail and rabbit ear arteries, 58

Palmier, B., see Hellal, F., 21
Pálvölgyi, L., see Tamás, G., 187
Panagopoulos, N.T., see Patsoukis, N., 83
Paniagua, M.A., see Álvarez-López, C., 223
Park, H.-J., see Choi, J.-S., 147
Park, H.-J., Seong, Y.-M., Choi, J.-Y., Kang, S., Rhim, H., Alzheimer's disease-associated amyloid beta interacts with the human serine protease HtrA2/Omi, 63
Passalacqua, R., see Geloso, M.C., 103
Patsoukis, N., Zervoudakis, G., Panagopoulos, N.T., Georgiou, C.D., Angelatou, F., Matsokis, N.A., Thiol redox state (TRS) and oxidative stress in the mouse hippocampus after pentylenetetrazol-induced epileptic seizure, 83
Pearce, B., see Watts, J., 179
Pepłońska, B., see Żekanowski, C., 167
Pereira, C.M., see Carnevalli, L.S., 191
Perez-Severiano, F., see Diaz-Ruiz, A., 49
Peros, E., see Emanuele, E., 45
Petersen, R.C., see Fidani, L., 152
Pfeffer, A., see Żekanowski, C., 167
Pichler, M., see Liebetrau, M., 17
Plotkine, M., see Hellal, F., 21
Popović, M., Caballero-Bleda, M., Puelles, L., Guerri, C., Multiple binge alcohol consumption during rat adolescence increases anxiety but does not impair retention in the passive avoidance task, 79
Przekop, I., see Żekanowski, C., 167
Puelles, L., see Popović, M., 79

Randazzo, R., see Michelato, A., 235
Religa, D., see Żekanowski, C., 167
Remschmidt, H., see Schulte-Körne, G., 207
Rhim, H., see Park, H.-J., 63
Ríos, C., see Diaz-Ruiz, A., 49
Riva, M.A., see Michelato, A., 235
Rorive, S., see Maurer, P., 215
Rosenberg, H.C., see Dong, Y., 95

Salio, C., see Doly, S., 123
Salmon, I., see Maurer, P., 215
Sawamura, T., Shimizu, K., Nibuya, M., Wakizono, T., Suzuki, G., Tsunoda, T., Takahashi, Y., Nomura, S., Effect of paroxetine on a model of posttraumatic stress disorder in rats, 37
Scassellati, C., see Michelato, A., 235
Schiffmann, S.N., see Maurer, P., 215
Schneider-Stock, R., see Mawrin, C., 111
Schulte-Körne, G., Bartling, J., Deimel, W., Remschmidt, H., Visual evoked potentials elicited by coherently moving dots in dyslexic children, 207
Segieth, J., see Watts, J., 179
Segovia, J., see Diaz-Ruiz, A., 49
Seo, J.-C., see Lee, B.-C., 33
Seong, Y.-M., see Park, H.-J., 63
Sherrin, T., Heng, K.Y.C., Zhu, Y.Z., Tang, Y.M., Lau, G., Tan, C.H., Cholecystokinin-B receptor gene expression in cerebellum, pre-frontal cortex and cingulate gyrus and its association with suicide, 107

Shimizu, K., see Sawamura, T., 37
Shirahata, M., see Yamaguchi, S., 155
Simpson, C., see Jaskiw, G.E., 5
Simpson, M.G., see Hughes, S., 232
Smith, M.E., see Hughes, S., 232
Stekelenburg, J.J., Vroomen, J., de Gelder, B., Illusory sound shifts induced by the ventriloquist illusion evoke the mismatch negativity, 163
Ste-Marie, L., see Bémeur, C., 211
Styczyńska, M., see Żekanowski, C., 167
Sung, B., Wang, G.K., Peripherally administered amitriptyline derivatives have differential anti-allodynic effects in a rat model of neuropathic pain, 115
Suzukawa, J., see Yang, L., 73
Suzuki, G., see Sawamura, T., 37
Szirmai, I., see Tamás, G., 187
Szybińska, A., see Żekanowski, C., 167

Tachibana, K., Matsumoto, M., Togashi, H., Kojima, T., Morimoto, Y., Kemmotsu, O., Yoshioka, M., Milnacipran, a serotonin and noradrenaline reuptake inhibitor, suppresses long-term potentiation in the rat hippocampal CA1 field via 5-HT_{1A} receptors and α_1-adrenoceptors, 91
Takáts, A., see Tamás, G., 187
Takagi, N., see Abe, T., 227
Takahashi, Y., see Sawamura, T., 37
Takeo, S., see Abe, T., 227
Tamás, G., Pálvölgyi, L., Takáts, A., Szirmai, I., Kamondi, A., Contralateral voluntary hand movement inhibits human parkinsonian tremor and variably influences essential tremor, 187
Tamaki, N., see Yokota, C., 219
Tan, C.H., see Sherrin, T., 107
Tanaka, J., Hayashi, Y., Yamato, K., Miyakubo, H., Nomura, M., Involvement of serotonergic systems in the lateral parabrachial nucleus in sodium and water intake: a microdialysis study in the rat, 41
Tanaka, Y., Han, H., Hagishita, T., Fukui, F., Liu, G., Ando, S., α-Sialylcholesterol enhances the depolarization-induced release of acetylcholine and glutamate in rat hippocampus: in vivo microdialysis study, 9
Tang, Y.M., see Sherrin, T., 107
Tangalos, E., see Fidani, L., 152
Taniguchi, M., see Hitomi, J., 127
Tattersall, J.E.H., see Harrison, P.K., 183
Thierry, G., see Fosker, T., 171
Tian, Y., see Li, R., 87
Toesca, A., see Geloso, M.C., 103
Togashi, H., see Tachibana, K., 91
Tohyama, M., see Hitomi, J., 127
Tomaino, C., see Emanuele, E., 45
Tsunoda, T., see Sawamura, T., 37
Turalba, A.V., Leite-Morris, K.A., Kaplan, G.B., Antipsychotics regulate cyclic AMP-dependent protein kinase and phosphorylated cyclic AMP response element-binding protein in striatal and cortical brain regions in mice, 53

Udina, E., Verdú, E., Navarro, X., Effects of the immunophilin ligand FK506 on nerve regeneration in collagen guides seeded with Schwann cells in rats, 99

Vachon, L., see Bémeur, C., 211
Ventriglia, M., see Michelato, A., 235
Verdú, E., see Udina, E., 99
Vergara, P., see Diaz-Ruiz, A., 49
Vorwerk, C.K., see Mawrin, C., 111
Vroomen, J., see Stekelenburg, J.J., 163

Wakizono, T., see Sawamura, T., 37
Wang, G.K., see Sung, B., 115
Wang, R.-m., Zhang, Q.-g., Zhang, G.-y., Activation of ERK5 is mediated by *N*-methyl-D-aspartate receptor and L-type voltage-gated calcium channel via Src involving oxidative stress after cerebral ischemia in rat hippocampus, 13
Wasiak, B., see Żekanowski, C., 167
Watanabe, S., see Miki, K., 199
Watts, J., Segieth, J., Pearce, B., Whitton, P.S., Regulatory role of nitric oxide over extracellular taurine in the hippocampus of freely moving rats, 179
Whitton, P.S., see Watts, J., 179
Wigström, H., see Li, R., 87

Xu, S., see Jiang, X.-H., 1

Yamaguchi, S., Lande, B., Kitajima, T., Hori, Y., Shirahata, M., Patch clamp study of mouse glomus cells using a whole carotid body, 155
Yamamoto, B.K., see Jaskiw, G.E., 5
Yamato, K., see Tanaka, J., 41
Yang, D., Gereau IV, R.W., Group II metabotropic glutamate receptors inhibit cAMP-dependent protein kinase-mediated enhancement of tetrodotoxin-resistant sodium currents in mouse dorsal root ganglion neurons, 159
Yang, L., Omori, K., Suzukawa, J., Inagaki, C., Calcineurin-mediated BAD Ser^{155} dephosphorylation in ammonia-induced apoptosis of cultured rat hippocampal neurons, 73
Yim, S.-V., see Lee, B.-C., 33
Yin, Q.-Z., see Jiang, X.-H., 1
Yokota, C., Kaji, T., Kuge, Y., Inoue, H., Tamaki, N., Minematsu, K., Temporal and topographic profiles of cyclooxygenase-2 expression during 24 h of focal brain ischemia in rats, 219
Yoshioka, M., see Tachibana, K., 91

Żekanowski, C., Pepłońska, B., Styczyńska, M., Religa, D., Pfeffer, A., Czyżewski, K., Gabryelewicz, T., Szybińska, A., Kijanowska-Haładyna, B., Kotapka-Minc, S., Łuczywek, E., Barczak, A., Wasiak, B., Chodakowska-Żebrowska, M., Przekop, I., Kuźnicki, J., Barcikowska, M., The E318G substitution in *PSEN1* gene is not connected with Alzheimer's disease in a large Polish cohort, 167
Zervoudakis, G., see Patsoukis, N., 83
Zhang, G.-y., see Wang, R.-m., 13
Zhang, Q.-g., see Wang, R.-m., 13
Zhu, Y.Z., see Sherrin, T., 107